



PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



BROCHURE - SAP CUSTOM SERIES 2025

THIS PLAYGROUND RANGE IS SUITABLE FOR THE FOLLOWING:

- Communal Parks
- City Parks
- Schools
- Resorts
- Residential Estates
- Restaurants



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES TOD 01

R72,000.00 Ex VAT

Installation on existing slab = **R5600.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- X2 Ramped climber with grips
- X1 mini vortex
- X1 mini hammoc's
- X1 floorboard
- Pitched roof



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 5 & UP



PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES TOD 02

R228,000.00 Ex VAT

Installation on existing slab = **R13,200.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- X2 triangular floorboards
- X8 floorboards
- X1 mini vortex
- X1 mini hammoc's
- X2 interactive game panels
- X1 inclined hanging bridge
- X1 hanging bridge
- X1 T-piece tube cross over with windows
- X2 double pitched roof's
- X8 slatted barrier panels



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES S010

R99,500.00 Ex VAT

Installation on existing slab = **R4400.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE open straight slide with entry panel
- Vortex climber with hosed chains
- X2 decorative panels
- Vertical wall climber
- X1 interactive panel
- Spinner
- Slat panel
- X2 floorboards
- Pitched roof
- Slat panel
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 5 & UP



PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES M005

R179,000.00 Ex VAT

Installation on existing slab = **R22,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE tube straight slide with entry panel
- Roto moulded LLDPE 3/4 tube spiral slide with entry panel
- Vortex climber with hosed chains
- Ramped climber with grips
- X2 decorative panels
- Vertical wall climber
- X2 interactive panels
- X3 floorboards
- Double Pitched roof
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 5 & UP



PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES M006

R318,000.00 Ex VAT

Installation on existing slab = **R26,400.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE 3/4 tube spiral slide with entry panel
- X1 Vortex climber with hosed chains (1,8)
- X2 Ramped climber with grips
- Decorative panel
- Vertical wall climber
- X2 interactive panels
- X4 floorboards
- X4 Pitched roof's
- Inclined solid bridge with sides
- Firemanspole 1,8m with entrance panel
- Inclined hanging bridge
- Spinner
- X2 polycarbonate clear panels
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES M007

R224,000.00 Ex VAT

Installation on existing slab = **R26,400.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE 3/4 tube spiral slide with entry panel
- X2 Vortex climber with hosed chains (1,5 and 1,8)
- Ramped climber with grips
- Decorative panel
- X3 Slat panel
- Vertical wall climber
- X2 interactive panels
- X4 floorboards
- Pitched roof
- Double Pitched roof
- Firemanspole 1,8m with entrance panel
- Inclined hanging bridge
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES M009

R189,000.00 Ex VAT

Installation on existing slab = **R26,400.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE 3/4 tube spiral slide with entry panel
- Roto moulded LLDPE tube straight slide with entry panel
- X2 Decorative panel
- Slat panel
- X2 polycarbonate clear panels
- Vertical wall climber
- Interactive panel
- X3 floorboards
- Pitched roof
- Firemanspole 1,2m with entrance panel
- Spinner
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES M012

R163,000.00 Ex VAT

Installation on existing slab = **R13,200.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE open straight slide with entry panel
- X2 Decorative panel
- X2 Slat panel
- Vertical wall climber
- X2 interactive panel
- X3 floorboards
- X2 Pitched roof
- Firemanspole 1,2m with entrance panel
- Spinner
- Vortex climber with hosed chains
- Hanging bridge
- Ramped climber with grips
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES L001

R452,000.00 Ex VAT

Installation on existing slab = **R48,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE open straight slide with entry panel
- Roto moulded LLDPE tube curved slide with entry panel
- Roto moulded LLDPE full tube spiral slide with entry panel
- X10 Decorative panels
- X6 polycarbonate clear panels
- Slat panel
- X2 interactive panel
- X2 hexagonal towers with internal climber and side stairs
- X2 hexagonal Pitched roof's
- Firemanspole 1,2m with entrance panel
- Vortex climber with hoses chains
- Hanging bridge
- Ramped climber with grips
- T-piece tube cross over with windows
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.





PLAYSA
POWERED BY MODULAR PLAY

P.O. Box 167, Cresta, Jhb, 2118
(011) 474-6930
info@playsa.co.za

5 Nobel Street, Industria West, Jhb
(011) 474-6969
www.playsa.co.za



SAP-CUSTOM SERIES L002

R245,000.00 Ex VAT

Installation on existing slab = **R22,000.00** Ex VAT


Front view



Back view



Top view



FEATURES:

- Roto moulded LLDPE full tube spiral slide with entry panel
- X4 Decorative panels
- X3 polycarbonate clear panels
- X1 interactive panel
- X1 hexagonal towers with internal climber
- X1 hexagonal pitched roofs
- Firemanspole 1,2m with entrance panel
- Vortex climber with hosed chains
- Ramped climber with grips
- Spinner
- Primed and painted steel components
- Repurposed plastic boards



SITE REQUIREMENTS:

- Levelled concrete base
- Impact absorbing surface or shock pad must be installed after equipment
- 100mm thick @25mpa concrete slab



All Modular Play Systems must be installed on levelled concrete surface. Impact-absorbing surface is recommended as per the critical fall height indicated and must be done by a specialist.



AGES 5 & UP



PLAYSA
POWERED BY MODULAR PLAY



P.O. Box 167, Cresta, Jhb, 2118



(011) 474-6930



info@playsa.co.za



5 Nobel Street, Industria West, Jhb



(011) 474-6969



www.playsa.co.za



OUR BUSINESS IS CHILD'S PLAY

We use a full set of test probes enabling us to test for compliance to meet all design and safety standards. We can assure our customers of the highest standards and compliance as we test all units ourselves before and after installation.



These images above depict the use of special gauges called probes, to test for areas that might pose the risk of head and neck entrapment.

The various probes used include torso, head, foot and hand probes and test for all possible problem areas on the play equipment.



Our factory based in Johannesburg South Africa is fully equipped to manufacture only the highest quality play equipment available today.



PLAYSA
POWERED BY MODULAR PLAY



P.O. Box 167, Cresta, Jhb, 2118



(011) 474-6930



info@playsa.co.za



5 Nobel Street, Industria West, Jhb



(011) 474-6969



www.playsa.co.za



OUR BUSINESS IS CHILD'S PLAY

Specifications on materials used on our playgrounds

- *FRAMES (Steel primed and painted or hot dip galvanizing optional extra)*
- *PAINT (International urethane paint product of Akzo Nobel)*
- *ROOFS, FLOOR SURFACES & SIDE PANELS (Wood particle composite) WPC*
- *SLIDES (LLDPE plastic with UV stabilizers)*
- *ROPE TYPE FEATURES (Galvanized chains covered with PVC coloured hoses)*
- *SLIDE SHROUDS, RAMPS, SIDE BARRIER PANELS & INTERACTIVE GAMES (HDPE layered plastic)*

Why trust SA Play Play Systems

- *SA's LEADING PLAYGROUND COMPANY SINCE 1996*
- *MORE THAN 1000 SITES ACROSS AFRICA*
- *MANUFACTURERES AND DIRECT IMPORTERS*
- *SUPERIOR QUALITY CONTROL ,CONTINUOUS IMPROVEMENT*
- *USE SUPERIOR MATERIALS DESIGNED TO OUR SPECIFICATION*
- *QUALITY CONTROL FROM FACTORY TO INSTALL*
- *SUPPLIERS TO ALL THE LEADING BRANDS*
- *COMPLY WITH SABS STANDARDS SANS 51176*
- *FULLY QUALIFIED INSTALLERS MANY WITH OVER 10 YEARS EXPERIENCE*
- *FULLY INSURED FOR PUBLIC LIABILITY*
- *WE DESIGN MANUFACTURE AND INSTALL*
- *WE KEEP EXTENSIVE STOCK SO NO DELAYS OR GOODS NOT ARRIVING AT ALL*
- *A TEAM OF OVER 30 PEOPLE READY TO MEET YOUR NEEDS*

Call us to find out why we are South Africa's leading playground supplier.



Call + 27 11 474 6930

Legal and disclaimers:

Modular Play systems is not liable for any errors and omissions, colours and configurations may vary from actual units as images are CAD generated and may vary from actual products. Models subject to change without notice. No part of this price list may be shared with third parties with out the written consent of Modular play systems, such distribution may result in legal action being taken. Pricing is subject to change with out prior notice all prices exclude vat and are ex our premises in Johannesburg, delivery and installation costs are additional and quoted separately.